

busbar support (01132)



The picture may show a similar product.

Description

Part No.: **01132 000**

busbar support

1-pole, to be attached to 01232 and individually mountable
for busbars triple-T section

System

60Classic

Advantages of the product

Suitable as centre support, with internal screw holes.

Can be used for connection to 3-pole busbar support 01 232.

Product group 06

Subgroup 03

pack size 4

EAN 4021267011321

ETIM 5.0 EC001166

ETIM 8.0 EC001166

Approvals

Standards

IEC 61439-1:2020

UL 508

Approvals

UL, DNV GL



for UL feeder circuits >250V

type number: S645-L

UL file: E123577, UL category (for USA): NMTR <https://www.ul.com>

CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2020

Electrical data IEC

rated voltage (IEC) AC: 800 V

rated frequency (IEC): 50 / 60 Hz

rated isolation voltage U_i AC: 1000 V

rated surge voltage U_{imp} : 8 kV

power dissipation of the article:

The power dissipation at a typical load of 80 % results to 0.0 W.

(The power dissipation at full load would be 0.0 W.)

Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

max. permitted voltage (IEC) DC: 1500 V

min. permitted operation temperature -40°C

Kurzschlussfestigkeit IEC / EN :

I_{pk} = 47 kA (4 Schienenträger im Abstand von 500 mm)

Kurzschlussfestigkeit UL :

SCCR = 18 kA (2 Schienenträger im Abstand von 700 mm)

Details UL

Standards

UL 508

for UL feeder circuits >250V

Electrical data UL

rated voltage (UL) AC: 600 V

rated frequency (UL): 50 / 60 Hz

Mechanical data

W x H x D: 26 x 73 x 141

weight: 15.0 kg/100

poles: 1-pole

for busbars: triple-T section

Material properties

halogen-free: Yes

Application notes

The insulation performance of the article depends on the installation conditions.
for UL feeder circuits >250V

Accessories

covers



01373 000

end cover

for busbar supports 01116 and 01132

<https://pim.woehner.de/EN/EN/1000043797>