

## CrossLink® touch-safe protection cover module (01433)



The picture may show a similar product.

### Description

Part No.: **01433** 000A

CrossLink® 185Power

CrossLink® touch-safe protection cover module

50 mm wide

50 x 540

for busbars 30, 40, 60, 80, 100, 120 x 10

### System

185Power

Product group 06

Subgroup 27

pack size 8

EAN 4021267014339

ETIM 5.0 EC002498

ETIM 8.0 EC002498

ETIM 10.0 EC002498

# Approvals

## Standards

IEC 61439-1:2020

UL 508

## Approvals

UL



for UL feeder circuits >250V

type number: CL185-A50

UL file: E123577, UL category (for USA): NMTR <https://www.ul.com>

UL file: E123577, UL category (for Canada): NMTR7 <https://www.ul.com>

CCC approval: no certification required

# Technical data

## Details IEC

### Standards

IEC 61439-1:2020

the current carrying capacity of the busbar system is reduced by factor 0,94 when the shock protection module is used,  
the factor changes to 0,88 when the base plates of the shrouding system (rear protection) are added

## Details UL

### Standards

UL 508

for UL feeder circuits >250V

## Mechanical data

W x H x D: 50 x 556 x 49

weight: 16.0 kg/100

for busbars: 30, 40, 60, 80, 100, 120 x 10

front degree of protection: IP20

## Material properties

halogen-free: Yes

## Application notes

not applicable, since the product does not contain or carry any live parts or is not stressed in the case of a short-circuit

for UL feeder circuits >250V

## Accessories

covers



### **01435 000A**

CrossLink® 185Power  
front cover IP40  
for CrossLink® covers  
100 mm wide, 1-pole



### **01440 000A**

completion section  
499 mm long  
499 x 16



### **01444 000A**

completion section  
649 mm long  
649 x 16

<https://pim.woehner.de/EN/EN/1000155734>