

## busbar 15 x 5 (01619)



The picture may show a similar product.

### Description

Part No.: **01619** 000

busbar 15 x 5

material: copper Cu-ETP (No. CW004A) acc. to EN 13601 (99.9% copper), strength class R300 (300 N/mm<sup>2</sup>)

length 2.40 m, tinned

### System

60Classic

### Advantages of the product

Tin-plated Cu busbars considerably reduce the effort of preparing the contact points.

The Cu busbars are effectively protected against aggressive media.

**Product group** 06

**Subgroup** 82

**pack size** 1

**EAN** 4021267016197

ETIM 5.0 EC001522

ETIM 8.0 EC001522

## Approvals

### Standards

IEC 61439-1:2020

### Approvals

DNV GL



type number: 15x5

CCC approval: no certification required

## Technical data

### Details IEC

#### Standards

IEC 61439-1:2020

### Electrical data

power dissipation of the article:

The power dissipation at a typical load of 80 % results to 25.6 W.

(The power dissipation at full load would be 40.0 W.)

### Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

current at 30 K 250 A

:

min. permitted operation temperature -40°C

### Mechanical data

W x H x D: 2400 x 15 x 5

weight: 160.6 kg/100

cross-section: 75 mm<sup>2</sup>

Edge radius 0.5

### Material properties

halogen-free: Yes

## Application notes

Please respect the insulation characteristics of the busbar support for your application.

see product description of the used busbar support

## Accessories

covers



**01244 000**

busbar cover

for 12 - 30 x 5 busbar, 1 m long

touch protection cover

<https://pim.woehner.de/EN/EN/1000044872>