

## insulator (05783)



The picture may show a similar product.

### Description

Part No.: **05783** 000

insulator

with female thread at both sides, length across flats 40

M8 x 40

Product group 06

Subgroup 89

pack size 20

EAN 4021267057831

ETIM 5.0 EC001166

ETIM 8.0 EC001166

### Approvals

#### Standards

IEC 61439-1:2020

CCC approval: no certification required

## Technical data

### Details IEC

#### Standards

IEC 61439-1:2020

### Electrical data IEC

rated voltage (IEC) AC: 2000 V

rated voltage (IEC) DC: 2000 V

power dissipation of the article:

The power dissipation at a typical load of 80 % results to 0.0 W.

(The power dissipation at full load would be 0.0 W.)

### Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

min. permitted operation temperature -40°C

max. permitted operation temperature 130°C

### Mechanical data

W x H x D: 40 x 40 x 40

weight: 10.2 kg/100

### Terminal points

female thread

M8

### Material properties

halogen-free: Yes

## Application notes

The installation of the insulator is required on a flat surface on both sides. The fixing screw must be fixed on both surfaces.

The installation on a non-flat mounting surface leads to inadmissible tensions which could cause damages to the insulator.

no data

<https://pim.woehner.de/EN/EN/1000045058>