


busbar adapter 200 A (32214)



The picture may show a similar product.

Description

Part No.: **32214 000**

EQUES[®] 60Classic

busbar adapter 200 A

terminals 6 - 70 mm² at top

108 x 222

connection to the system top

for busbars 12, 15, 20, 25, 30 x 5, 10 and section busbars

System

60Classic

Product group 05

Subgroup 36

pack size 1

EAN 4021267322144

ECLASS 6.1 27370304
ECLASS 7.1 27370304
ETIM 4.0 EC001531
ETIM 5.0 EC001531

Approvals

Standards

IEC 61439-1:2020
UL 508

Approvals

CSA, UL, DNV GL



type number: 60200

UL file: E123577, UL category (for USA): NMTR2 <https://www.ul.com>
UL file: E123577, UL category (for Canada): NMTR8 <https://www.ul.com>
CSA file: 110285, CSA class: 3211-37 <https://directories.csa-international.org>
CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2020

Electrical data IEC

rated current (IEC): 200 A
rated voltage (IEC) AC: 690 V

rated isolation voltage U_i AC: 800 V
rated surge voltage U_{imp} : 6 kV

rated peak withstand current I_{pk} max.: 46.9 kA

power dissipation of the article:

The power dissipation at a typical load of 80 % results to 10.6 W.

(The power dissipation at full load would be 16.6 W.)

Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

max. permitted voltage (IEC) DC: 800 V

Details UL

Standards

UL 508

Electrical data UL

rated current (UL): 200 A

rated voltage (UL) AC: 600 V

rated frequency (UL): 50 / 60 Hz

SCCR unprotected max.: 10 kA

3 cycles (without OPD) @ 600 V AC

Mechanical data

W x H x D: 108 x 222 x 39

weight: 84.2 kg/100

poles: 3-pole

for busbars: 12, 15, 20, 25, 30 x 5, 10 and section busbars

Application notes

There must be a clearance of at least 10 mm above the article to remove it from the busbar system.

Movable fastening rails with M4 slide nuts for safe mounting of the switching devices.

Accessories

accessories for mounting



32937 000

slide nut M5

for: 32168, 32214, 32215, 32216

<https://pim.woehner.de/EN/EN/1000043227>