


busbar support, 3-pole, centre (35001)



The picture may show a similar product.

Description

Part No.: **35001 000**
busbar support, 3-pole, centre
for busbars 30 x 10, double-T and triple-T section

System

centre feed unit

Product group 11

Subgroup 15

pack size 1

EAN 4021267350017

ETIM 5.0 EC001166

ETIM 8.0 EC001166

Approvals

Standards

IEC 61439-1:2020

UL 508

Approvals

UL



for UL feeder circuits >250V

type number: Z1140-L

UL file: E123577, UL category (for USA): NMTR <https://www.ul.com>

UL file: E123577, UL category (for Canada): NMTR7 <https://www.ul.com>

CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2020

Electrical data IEC

rated voltage (IEC) AC: 690 V

rated isolation voltage U_i AC: 1000 V

rated surge voltage U_{imp} : 8 kV

power dissipation of the article:

The power dissipation at a typical load of 80 % results to 0.0 W.

(The power dissipation at full load would be 0.0 W.)

Details UL

Standards

UL 508

for UL feeder circuits >250V

Electrical data UL

rated voltage (UL) AC: 600 V

rated frequency (UL): 50 / 60 Hz

Mechanical data

W x H x D: 30 x 300 x 300

weight: 458.0 kg/100

poles: 3-pole

for busbars: 30 x 10, double-T and triple-T section

Material properties

halogen-free: Yes

Application notes

The scope of delivery includes fastening brackets, fastening screws and holders for covers.
for UL feeder circuits >250V

Accessories

accessories for mounting



35017 000

additional cover holder
for centre feed unit

<https://pim.woehner.de/EN/EN/1000048837>