



### Key Features

- Checks Protective Earth (PE) connections and electrical wiring integrity
- Tests residual current device (RCD)
- Indicates the maximum current output of EV chargers
- Designed for Type 2 and compatible with Type 1 connectors
- Includes FLIR digital multimeter with IGM<sup>®</sup> for troubleshooting and diagnosing electrical issues

### Main Applications

- Providing safe and reliable EV charging stations
- Installing and maintaining public and private EV chargers
- Diagnosing and troubleshooting EVSEs



### SPECIFICATIONS

	FLIR EV KIT-2
What's included?	EV45-T2 ( <a href="http://www.flir.com/EV45-T2">www.flir.com/EV45-T2</a> ) DM286 Multimeter ( <a href="http://www.flir.com/DM286">www.flir.com/DM286</a> ) TA04 Battery for DM286 Converter for Type 1 Carrying Pouch Test Leads USB Type A to Type C Cable

*Specifications subject to change. For the most up-to-date specifications, please visit [flir.com](http://flir.com).*

For technical or sales support, please visit:  
[www.flir.com/about/general-inquiries](http://www.flir.com/about/general-inquiries)

This product is subject to United States export regulations and may require US authorization prior to export, reexport, or transfer to non-US persons or parties. Diversion contrary to US law is prohibited.

For assistance with confirming the Jurisdiction & Classification of Teledyne FLIR, LLC products, please contact [exportquestions@flir.com](mailto:exportquestions@flir.com). ©2025 Teledyne FLIR, LLC. All rights reserved.

Revised 03/05/25  
FLIR\_EV\_KIT-2\_Datasheet\_en-US-LTR RH24-0864-INS