

CrossLink® touch-safe protection cover module (01434)



The picture may show a similar product.

Description

Part No.: **01434** 000A

CrossLink® 185Power

CrossLink® touch-safe protection cover module

100 mm wide

100 x 540

for busbars 30, 40, 60, 80, 100, 120 x 10

System

185Power

Product group 06

Subgroup 27

pack size 4

EAN 4021267014346

ETIM 5.0 EC002498

ETIM 8.0 EC002498

Approvals

Standards

IEC 61439-1:2020

UL 508

Approvals

UL



for UL feeder circuits >250V

type number: CL185-A100

UL file: E123577, UL category (for USA): NMTR <https://www.ul.com>

UL file: E123577, UL category (for Canada): NMTR7 <https://www.ul.com>

CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2020

the current carrying capacity of the busbar system is reduced by factor 0,94 when the shock protection module is used,
the factor changes to 0,88 when the base plates of the shrouding system (rear protection) are added

Details UL

Standards

UL 508

for UL feeder circuits >250V

Mechanical data

W x H x D: 100 x 556 x 49

weight: 34.0 kg/100

for busbars: 30, 40, 60, 80, 100, 120 x 10

front degree of protection: IP20

Material properties

halogen-free: Yes


Application notes

not applicable, since the product does not contain or carry any live parts or is not stressed in the case of a short-circuit

for UL feeder circuits >250V

Accessories

covers



01435 000A

CrossLink® 185Power
front cover IP40
for CrossLink® covers
100 mm wide, 1-pole



01440 000A

completion section
499 mm long
499 x 16



01444 000A

completion section
649 mm long
649 x 16

<https://pim.woehner.de/EN/EN/1000157954>