

cover cap, 3-pole (01596)



The picture may show a similar product.

Description

Part No.: **01596 000**

cover cap, 3-pole

228 mm wide

228 x 200 x 90

for busbars 12, 15, 20, 25, 30 x 5, 10 and section busbars

System

60Classic

Product group 07

Subgroup 36

pack size 1

EAN 4021267015961

ECLASS 6.1 27370390
ECLASS 7.1 27370390
ETIM 4.0 EC002498
ETIM 5.0 EC002848
ETIM 8.0 EC002848

Approvals

Standards

IEC 61439-1:2020
IEC 60999-1:1999
IEC 60999-2:2003
UL 508

Approvals

CSA , UL , DNV GL



for UL feeder circuits >250V

type number: CTC60-L

UL file: E123577, UL category (for USA): NMTR <https://www.ul.com>
UL file: E123577, UL category (for Canada): NMTR7 <https://www.ul.com>
CSA file: 110285, CSA class: 3211-37 <https://directories.csa-international.org>
CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2020
IEC 60999-1:1999
IEC 60999-2:2003

Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

min. permitted operation temperature -40

Details UL

Standards

UL 508

for UL feeder circuits >250V

Mechanical data

W x H x D: 228 x 200 x 90

weight: 37.3 kg/100

poles: 3-pole

for busbars: 12, 15, 20, 25, 30 x 5, 10 and section busbars

Material properties

halogen-free: No

Application notes

Also suitable as reserve section cover.

not applicable, since the product does not contain or carry any live parts or is not stressed in the case of a short-circuit

for UL feeder circuits >250V

<https://pim.woehner.de/EN/EN/1000046208>