


## fastening module (01605)



The picture may show a similar product.

### Description

Part No.: **01605 000A**  
CRITO CrossBoard  
fastening module  
at rear feeding  
no electrical connection  
for CrossBoard 250 A

### System

CrossBoard® 125A / 250A

Product group 07

Subgroup 39

pack size 1

EAN 4021267016050

ETIM 5.0 EC002498

ETIM 8.0 EC002498

ETIM 10.0 EC002498

# Approvals

## Standards

IEC 61439-1:2020

UL 508

## Approvals

UL



for UL feeder circuits >250V

type number: CR-B-95-A0

UL file: E123577, UL category (for USA): NMTR <https://www.ul.com>

UL file: E123577, UL category (for Canada): NMTR7 <https://www.ul.com>

CCC approval: no certification required

# Technical data

## Details IEC

### Standards

IEC 61439-1:2020

### Electrical data IEC

rated voltage (IEC) AC: 690 V

rated isolation voltage  $U_i$  AC: 800 V

rated surge voltage  $U_{imp}$ : 6 kV

power dissipation of the article:

The power dissipation at a typical load of 80 % results to 0.0 W.

(The power dissipation at full load would be 0.0 W.)

### Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

max. permitted voltage (IEC) AC: 800 V  
max. permitted voltage (IEC) DC: 800 V

## Details UL

### Standards

UL 508

for UL feeder circuits >250V  
suitable for field-installed conductors

## Mechanical data

W x H x D: 95 x 169 x 57

weight: 27.0 kg/100

## Material properties

halogen-free: Yes

## Application notes

for UL feeder circuits >250V

<https://pim.woehner.de/EN/EN/1000256481>