

busbar adapter 630 A (32004)



The picture may show a similar product.

Description

Part No.: **32004 000**

EQUES[®] 60Classic

busbar adapter 630 A

connection screws M12 (top / bottom)

184 x 320

for busbars 12, 15, 20, 25, 30 x 5, 10 and section busbars

System

60Classic

Product group 05

Subgroup 42

pack size 1

EAN 4021267320041

ECLASS 6.1 27370304
ECLASS 7.1 27370304
ETIM 4.0 EC001531
ETIM 5.0 EC001531
ETIM 8.0 EC001531

Approvals

Standards

IEC 61439-1:2020

CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2020

Electrical data IEC

rated current (IEC): 630 A

rated voltage (IEC) AC: 690 V

rated isolation voltage U_i AC: 800 V

rated surge voltage U_{imp} : 6 kV

power dissipation of the article:

The power dissipation at a typical load of 80 % results to 20.2 W.

(The power dissipation at full load would be 31.5 W.)

Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

max. permitted voltage (IEC) DC: 800 V

min. permitted operation temperature -40

Mechanical data

W x H x D: 184 x 320 x 68

weight: 278.0 kg/100

poles: 3-pole

for busbars: 12, 15, 20, 25, 30 x 5, 10 and section busbars

Material properties

halogen-free: Yes

Application notes

Special adapter for Siemens 3NP4, 3NP5, 3KE4, 3KA5.

For safe mechanical and electrical connection of the devices to the busbar.

Accessories

accessories for mounting



32982 000A

mounting set

adjustable for various MCCBs

184 x 320

for: 32004

further accessories

<https://pim.woehner.de/EN/EN/1000043303>