






(E)ASK 61.4

Aufsteck-Stromwandler

Plug-in current transformers

E...= zugelassener Verrechnungsstromwandler
Tariff Current Transformer



Primärleiter Primary conductor	63 x 10 mm 2 x 50 x 10 mm
Rundleiter Round conductor	Ø 44,0 mm
Wandlerbreite Transformer width	95 mm
Schnappbefestigung Snap-on mounting	Best.-Nr./order-no. -
Plombierplatte Sealed shutter	Best.-Nr./order-no. 59042

Prim. Strom prim. current	VA	ASK Sek.Strom / sec.current 1A				EASK Sek.Strom / sec.current 1A			
		Klasse / class 1		Klasse / class 0,5		Klasse / class 0,5		Klasse / class 0,2	
		Best.-Nr. order-no.		Best.-Nr. order-no.		Best.-Nr. order-no.		Best.-Nr. order-no.	
200	1,5	19247		19209		19755		19711	
	2,5	19248		19210		19756		19712	
250	1,5	19249		19211		19757		19713	
	2,5	19250		19212		19758		19714	
	5	19175				19759		19715	
300	1,5	19251		19213		19760		19716	
	2,5	19252		19214		19761		19717	
	5	19253		19215		19762		19718	
	10					19763			
400	1,5	19254		19216					
	2,5	19255		19217		19764		19720	
	5	19256		19218		19765		19721	
	10	19257		19294		19766		19722	
500	1,5			19219					
	2,5	19258		19220		19767		19723	
	5	19259		19221		19768		19724	
	10	19260		19295		19769		19725	
	15	19261		19296		19770			
600	2,5	19262		19222		19771		19727	
	5	19263		19223		19772		19728	
	10	19264		19224		19773		19729	
	15	19265		19297		19774		19730	
750	2,5	19266		19225		19775		19731	
	5	19267		19226		19776		19732	
	10	19268		19227		19777		19733	
	15	19269		19298		19778		19734	
800	2,5	19270		19228					
	5	19271		19229					
	10	19272		19230					
	15	19273		19231					
1000	2,5							19736	
	5	19274		19232		19780		19737	
	10	19275		19233		19781		19738	
	15	19276		19234		19782			
	30	19277		19299					
1200	5	19278		19235		19785		19741	
	10	19279		19236		19786		19742	
	15	19280		19237		19787		19743	
	30	19281		19300					
1250	5	19282		19238		19790		19746	
	10	19283		19239		19791		19747	
	15	19284		19240		19792		19748	
	30	19285		19301					
1500	5	19286		19241		19795		19751	
	10	19287		19242		19796		19752	
	15	19288		19243		19797		19753	
	30	19289		19302					
1600	5	19290		19244					
	10	19291		19245					
	15	19292		19246					
	30	19293		19303					

(E)ASK 61.4

Aufsteck-Stromwandler *Plug-in current transformers*

E...= zugelassener Verrechnungsstromwandler *Tariff Current Transformer*

Prim. Strom prim. current	VA	ASK Sek.Strom / sec.current 5A						EASK Sek.Strom / sec.current 5A					
		Klasse / class 1		Klasse / class 0,5		Klasse / class 0,2s		Klasse / class 0,5		Klasse / class 0,5s		Klasse / class 0,2	
		Best.-Nr. order-no.		Best.-Nr. order-no.		Best.-Nr. order-no.		Best.-Nr. order-no.		Best.-Nr. order-no.		Best.-Nr. order-no.	
200	1,5	19047		19009				19555		19599		19511	
	2,5	19048		19010				19556		19600		19512	
250	1,5	19049		19011		V41-1804C		19557		19601		19513	
	2,5	19050		19012		V41-1804D		19558		19602		19514	
	5							19559		19603		19515	
300	1,5	19051		19013				19560		19604		19516	
	2,5	19052		19014		V41-1904D		19561		19605		19517	
	5	19053		19015		V41-1904F		19562		19606		19518	
	10							19563		19607			
400	1,5	19054		19016									
	2,5	19055		19017		V41-2004D		19564		19608		19520	
	5	19056		19018		V41-2004F		19565		19609		19521	
	10	19057		19094		V41-2004H		19566		19610		19522	
500	1,5			19019									
	2,5	19058		19020		V41-2104D		19567		19611		19523	
	5	19059		19021		V41-2104F		19568		19612		19524	
	10	19060		19095		V41-2104H		19569		19613		19525	
	15	19061		19096				19570		19614			
600	2,5	19062		19022		V41-2204D		19571		19615		19527	
	5	19063		19023		V41-2204F		19572		19616		19528	
	10	19064		19024		V41-2204H		19573		19617		19529	
	15	19065		19097		V41-2204J		19574		19618		19530	
750	2,5	19066		19025		V41-2304D		19575		19619		19531	
	5	19067		19026		V41-2304F		19576		19620		19532	
	10	19068		19027		V41-2304H		19577		19621		19533	
	15	19069		19098		V41-2304J		19578		19622		19534	
800	2,5	19070		19028									
	5	19071		19029									
	10	19072		19030									
	15	19073		19031									
1000	2,5					V41-2504D		19580		19624		19536	
	5	19074		19032		V41-2504F		19581		19625		19537	
	10	19075		19033		V41-2504H		19582		19626		19538	
	15	19076		19034		V41-2504J		19583		19627		19539	
	30	19077		19099				19584		19628			
1200	2,5					V41-2604D		19585		19629		19541	
	5	19078		19035		V41-2604F		19586		19630		19542	
	10	19079		19036		V41-2604H		19587		19631		19543	
	15	19080		19037		V41-2604J		19588		19632		19544	
	30	19081		19100				19589					
1250	5	19082		19038		V41-2704F		19590		19634		19546	
	10	19083		19039		V41-2704H		19591		19635		19547	
	15	19084		19040		V41-2704J		19592		19636		19548	
	30	19085		19101				19593		19637			
1500	5	19086		19041		V41-2804F		19595		19639		19551	
	10	19087		19042		V41-2804H		19596		19640		19552	
	15	19088		19043		V41-2804J		19597		19641		19553	
	30	19089		19102				19598		19642			
1600	5	19090		19044									
	10	19091		19045									
	15	19092		19046									
	30	19093		19103									

ASK 61.4 2U und 3U

		Sek.strom / sec.current 1A	
Prim. Strom <i>prim. current</i>	VA	Klasse / class 1	
		Best.-Nr. <i>order-no.</i>	
500-250	5-2,5	19341	
600-300	5-2,5	19342	
	10-5	19343	
800-400	5-2,5	19344	
	10-5	19345	
	15-7,5	19346	
1000-500	5-2,5	19347	
	10-5	19348	
	15-7,5	19349	
1200-600	5-2,5	19350	
	10-5	19351	
	15-7,5	19352	
1500-750	5-2,5	19353	
	10-5	19354	
	15-7,5	19355	
	30-15	19356	
1600-800	5-2,5	19357	
	10-7,5	19358	
	15-7,5	19359	
	30-15	19360	

		Sek.strom / sec.current 1A	
Prim. Strom <i>prim. current</i>	VA	Klasse / class 1	
		Best.-Nr. <i>order-no.</i>	
800-400-200	10-5-2,5	19382	
1000-500-250	10-5-2,5	19383	
	15-7,5-2,5	19384	
1000-600-300	10-5-2,5	19385	
	15-7,5-2,5	19386	
1200-600-300	10-5-2,5	19387	
	15-7,5-2,5	19388	
1500-750-400	10-5-2,5	19389	
	15-7,5-2,5	19390	
1600-800-400	10-5-2,5	19391	
	15-7,5-2,5	19392	
1000-600-400	10-5-2,5	19399	

		Sek.strom / sec.current 5A	
Prim. Strom <i>prim. current</i>	VA	Klasse / class 1	
		Best.-Nr. <i>order-no.</i>	
500-250	5-2,5	19141	
600-300	5-2,5	19142	
	10-5	19143	
800-400	5-2,5	19144	
	10-5	19145	
	15-7,5	19146	
1000-500	5-2,5	19147	
	10-5	19148	
	15-7,5	19149	
1200-600	5-2,5	19150	
	10-5	19151	
	15-7,5	19152	
1500-750	5-2,5	19153	
	10-5	19154	
	15-7,5	19155	
	30-15	19156	
1600-800	5-2,5	19157	
	10-7,5	19158	
	15-7,5	19159	
	30-15	19160	

		Sek.strom / sec.current 5A	
Prim. Strom <i>prim. current</i>	VA	Klasse / class 1	
		Best.-Nr. <i>order-no.</i>	
800-400-200	10-5-2,5	19182	
1000-500-250	10-5-2,5	19183	
	15-7,5-2,5	19184	
1000-600-300	10-5-2,5	19185	
	15-7,5-2,5	19186	
1200-600-300	10-5-2,5	19187	
	15-7,5-2,5	19188	
1500-750-400	10-5-2,5	19189	
	15-7,5-2,5	19190	
1600-800-400	10-5-2,5	19191	
	15-7,5-2,5	19192	
1000-600-400	10-5-2,5	19199	